

NOTICES TO MARINERS

30 December 2005

CONTENTS

- I General Notes / Index of Charts Affected
 - II Publications Affected and Chart Corrections
 - III Marine Information
 - IV Reprints of Navigational Warnings (NAVTEX)
-

The Hydrographer
Hydrographic Office
Marine Department
2/F Hydro Building
Government Dockyard
Stonecutters Island, Kowloon
HONG KONG

Tel : (852) 2504 0723
Fax : (852) 2504 4527
E-mail : hydro@mardep.gov.hk
Website : www.hydro.gov.hk

SECTION I GENERAL NOTES

- 1 Notices to Mariners are issued fortnightly on a Friday. A summary of temporary notices and a chart correction record (issued every six months) are published in Issue No 13 and 26 of Notices to Mariners.
- 2 Positions on Hong Kong Charts are referred to the World Geodetic System 1984 (WGS 84) Datum.
- 3 Depths are measured in metres and are reduced to Chart Datum, which is approximately the Lowest Astronomical Tide (LAT).
- 4 Heights and spot heights are measured in metres above the High Water Mark (HWM).
- 5 Navigational marks are based on the IALA Maritime Buoyage System (Region A) – ie Red to Port, Green to Starboard.
- 6 Continuous Differential Global Positioning System (DGPS) correction signals for WGS 84 positions are broadcast by the Hydrographic Office on 289.0 kHz and can be received by any vessel with a standard DGPS receiver. For technical details of the system, please refer to the following webpage:

www.hydro.gov.hk/service/dgps.htm

- 7 Hong Kong charts are available for sale at the Marine Department:

Shroff Office, Marine Department

Room 309, Harbour Building

38 Pier Road, Central

HONG KONG

Tel : (852) 2852 3087

Fax : (852) 2542 4287

For overseas orders and mail services, please contact the Hydrographic Office:

Hydrographic Office

2/F Hydro Building

Government Dockyard

Stonecutters Island, Kowloon

HONG KONG

Tel : (852) 2504 0723

Fax : (852) 2504 4527

E-mail : hydro@mardep.gov.hk

- 8 Copies of the Notices To Mariners can be downloaded from the following webpage:

www.hydro.gov.hk/product/ntm.htm

SECTION II
PUBLICATION AFFECTED AND CHART CORRECTIONS

Chart Correction**40/2005 Harbour – Central Part – Causeway Bay Typhoon Shelter - Depths**

Source – HK Hydrographic Office [L/M 26 in PA/S/HO 108/1/7 (9)]

Chart HK0802 (Last Small Correction – 32/2005)Insert depth I_3 (a) 22° 17.046' N 114° 11.106' EDelete depth 0_2 (b) close SE of (a) above**41/2005 South Western Approaches – Lantau Island – Man Kok Tsui – Rocks & depths**

Source – HK Hydrographic Office [L/M 26 in PA/S/HO 108/1/7 (9)]

Chart HK3002 (Last Small Correction – 38/2005)

Insert + (2) and extend 5m contour E to enclose 22° 15.998' N 114° 01.507' E

Insert ⊕ (5) (a) 22° 16.155' N 114° 01.857' E

Delete depth 7_9 (b) close SW of (a) above

SECTION III
MARINE INFORMATION

A Temporary Notice (T)

Nil

B Cancelled Temporary Notice (T)

Nil

SECTION III
MARINE INFORMATION

C Summary of Temporary Notices (T)

The following notices are still in force:

30(T)/2002	Ma Wan and Approaches – Northern Coast of Tsing Yi Island – Reclamation and construction of seawall
17(T)/2003	Urmston Road – North of Hong Kong International Airport – Marine Works
24(T)/2003	Lantau Island – Tai O – Construction of Sheltered Boat Anchorage
44(T)/2003	Ma Wan and Approaches – Lantau Island – Penny’s Bay Reclamation
60(T)/2003	Harbour – Central Part – Central District – Marine Works
14(T)/2005	Lamma Island to Ping Chau – Gas Pipeline Laying Operations
37(T)/2005	Urmston Road – Marine piling works
39(T)/2005	East Lamma Channel – Submarine cable and laying operation

SECTION III MARINE INFORMATION

D Chart Correction Record

Chart No	Edition	Notice No
HK0801	Dec 2004	2005 - 7
HK0802	Sep 2004	2005 - 28, 32, 40
HK0803	Feb 2003	2003 - 16, 23, 27, 34, 35, 42, 46, 49, 61, 68, 70, 72, 74, 75, 76, 77, 80, 82
		2004 - 1, 3, 26, 44
		2005 - 1, 3, 19, 22, 25, 28
HK1501	Nov 2002	2003 - 16, 28, 47
		2004 - 14, 20, 24, 28
		2005 - 4, 12, 25, 36
HK1502	Feb 2003	2003 - 16, 22, 23, 27, 29, 42, 46, 48, 49, 54, 55, 59, 61, 62, 68, 70, 72, 75, 77, 80
		2004 - 1, 3, 16, 19, 26, 30, 44
		2005 - 1, 2, 3, 15, 19, 22, 23, 25, 26, 27, 28, 33
HK1503	Oct 2005	-
HK1504	Dec 2003	2004 - 4, 5, 6, 27, 35, 38
		2005 - 8, 9, 13, 17, 18, 34
HK2501	Nov 2005	-
HK2502	Oct 2002	2003 - 1, 9, 31, 32, 36
		2004 - 7, 11, 28, 33, 45
		2005 - 20, 30, 35, 36
HK3001	Apr 2003	2003 - 39, 45, 67, 79
		2004 - 31, 36
		2005 - 5
HK3002	Aug 2002	2002 - 63, 66, 75
		2003 - 6, 11, 15, 16, 28, 48, 57, 59, 68, 70, 72, 74, 76, 77, 80
		2004 - 1, 2, 9, 14, 16, 20, 21, 24, 32, 46
		2005 - 2, 4, 6, 12, 16, 21, 23, 24, 26, 28, 35, 36, 38, 41

SECTION IV
REPRINTS OF NAVIGATIONAL WARNINGS (NAVTEX)


The following navigational warning is still in force on 23 December 2005:

LA03/2005 Positions of rigs and support vessels north of 10° 00' N in the South China Sea:

Rig	HUI ZHOU 19-2	21° 21.97' N	115° 04.98' E
Rig	HUI ZHOU 19-3	21° 21.16' N	115° 01.02' E
Rig	HUI ZHOU 21-1	21° 20.95' N	115° 25.37' E
Rig	HUI ZHOU 26-1	21° 10.55' N	115° 15.88' E
Rig	HUI ZHOU 32-2	21° 09.68' N	115° 10.18' E
Rig	HUI ZHOU 32-3	21° 09.88' N	115° 13.08' E
Rig	LU FENG 13-1	21° 35.27' N	116° 09.42' E
Rig	NAN HAI TIAO ZHAN	20° 50.58' N	115° 41.00' E
Rig	NAN HAI 4	20° 50.20' N	108° 54.00' E
Rig	KAN TAN 3	19° 45.42' N	112° 37.14' E
Rig	PAN YU 4-2	20° 50.84' N	114° 37.09' E
Rig	PAN YU 5-1	20° 51.34' N	114° 47.93' E
Rig	XI JIANG 24-3	21° 22.75' N	114° 54.70' E
Rig	XI JIANG 30-2	21° 16.30' N	114° 58.53' E
Rig	WEN CHANG 13-1	19° 36.67' N	112° 02.66' E
Rig	WEN CHANG 13-2	19° 36.67' N	112° 02.66' E
Storage tanker	FEN JIN	19° 36.67' N	112° 02.66' E
Storage tanker	HAI YANG 111	20° 51.09' N	114° 42.51' E
Storage tanker	NAN HAI FA XIAN	21° 21.67' N	115° 24.63' E
Storage tanker	NAN HAI KAI TUO	21° 18.42' N	114° 56.30' E
Storage tanker	NAN HAI SHENG KAI	21° 36.05' N	116° 08.90' E
Storage tanker	NAN HAI SHENG LI	20° 49.40' N	115° 42.01' E
Storage tanker	NAVION MUNIN	21° 28.70' N	116° 38.49' E

All vessels should keep well clear of these rigs and support vessels.

香港海圖索引 HONG KONG CHART INDEX



水文短訊
Hydrographic Note

航海人員如發現新的危險礙航物，或輔航設備有所改變或損壞，請通知海道測量部。
Mariners are requested to inform Hydrographic Office, Hong Kong discovery of new dangers to navigation, or changes or defects of aids to navigation.

日期 _____ 檔號 _____
Date _____ Ref _____

船名 _____ 目擊者/舉報者姓名 _____
Name of Vessel _____ Name of Observer/Reporter _____

通訊地址 _____
Correspondence _____
Address _____

電郵地址 _____
E-mail Address _____

事項 _____
Subject _____

概位 _____ 緯度 _____ 經度 _____
Approx Position _____ Lat _____ Long _____

地理位置(如適用) _____
Geographic Position _____
(if applicable) _____

詳細內容 _____
Details _____

所持最新航海通告 _____
Latest Notices to Mariners Held _____

有關刊物(期數、最近的補編日期) _____
Publication(s) Affected (edition number _____
and date of latest supplement) _____

目擊者/舉報者簽署 _____
Signature of Observer/Reporter _____



中國 香港

航海通告

2005年12月30日

目錄

- I 一般事項/有關海圖索引
- II 有關刊物與海圖改正
- III 海事訊息
- IV 航行警告重印(航行警告電傳)

海道測量師
海事處
海道測量部
香港九龍
昂船洲政府船塢
海測樓二樓

電話：(852) 2504 0723
傳真：(852) 2504 4527
電郵：hydro@mardep.gov.hk
網址：www.hydro.gov.hk

第 I 節 一般事項

- 1 航海通告在每隔兩周的星期五發佈。臨時通告摘要及海圖改正記錄（每6個月發佈一次）在航海通告第13及26期刊載。
- 2 在香港海圖上的位置乃參照 1984 年世界大地測量系統（WGS 84）基準。
- 3 深度量度自海圖基準，並以米為單位。此基準與最低天文潮相若。
- 4 高度、高程點皆自高潮標以上計算，以米為單位。
- 5 輔航標記是根據國際航標協會海上浮標系統（A區域）－紅在左舷，綠在右舷。
- 6 差分全球定位系統校正訊號由海道測量部以 289.0 千赫不停廣播，此訊號適用於以 WGS 84 為基準的位置，凡裝有標準接收器的船舶，均可接收。關於此系統的技術規格，請參閱以下網頁：

www.hydro.gov.hk/service/dgps.htm

- 7 香港海圖在海事處有售：

海事處繳費處

香港中環
統一碼頭道38號
海港政府大樓309室
電話：(852) 2852 3087
傳真：(852) 2542 4287

有關香港海圖的海外訂購及郵寄服務，請向海道測量部查詢：

海道測量部

香港九龍
昂船洲政府船塢
海測樓二樓
電話：(852) 2504 0723
傳真：(852) 2504 4527
電郵：hydro@mardep.gov.hk

- 8 航海通告可在以下網頁下載：

www.hydro.gov.hk/product/ntm.htm

第 II 節 有關刊物與海圖改正

海圖改正

40/2005	海港中部 - 銅鑼灣避風塘 - 水深		
出處 -	香港海道測量部 [L/M 26 in PA/S/HO 108/1/7 (9)]		
海圖 HK0802	(上次小改正 - 32/2005)		
加繪	水深 1_3	(a)	22° 17.046' N 114° 11.106' E
刪除	水深 0_2	(b)	靠近上述(a)點東南方
<hr/>			
41/2005	西南臨近水域 - 大嶼山 - 萬角咀 - 礁石及水深		
出處 -	香港海道測量部 [L/M 26 in PA/S/HO 108/1/7 (9)]		
海圖 HK3002	(上次小改正 - 38/2005)		
加繪	$+ (2_7)$ 並向東伸延 5 米等深線包圍		22° 15.998' N 114° 01.507' E
加繪	$\oplus (5)$	(a)	22° 16.155' N 114° 01.857' E
刪除	水深 7_9	(b)	靠近上述(a)點西南方

**第 III 節
海事訊息**

A **臨時通告(T)**

無

B **已撤銷的臨時通告(T)**

無

第 III 節 海事訊息

C 臨時通告(T)摘要

以下通告仍然有效：

30(T)/2002	馬灣及臨近水域 - 青衣島北岸 - 填海
17(T)/2003	龍鼓水道 - 香港國際機場北面 - 海事工程
24(T)/2003	大嶼山 - 大澳 - 遮蔽船艇錨地建造工程
44(T)/2003	馬灣及臨近水域 - 大嶼山 - 竹高灣 - 填海
60(T)/2003	海港中部 - 中環 - 海事工程
14(T)/2005	南丫島至平洲 - 煤氣管敷設工程
37(T)/2005	龍鼓水道 - 海上打樁工程
39(T)/2005	東博寮海峽 - 海底電纜敷設工程

第 III 節 海事訊息

D 海圖改正記錄

海圖編號	版本	通告編號
HK0801	2004年12月	2005 - 7
HK0802	2004年9月	2005 - 28, 32, 40
HK0803	2003年2月	2003 - 16, 23, 27, 34, 35, 42, 46, 49, 61, 68, 70, 72, 74, 75, 76, 77, 80, 82
		2004 - 1, 3, 26, 44
		2005 - 1, 3, 19, 22, 25, 28
HK1501	2002年11月	2003 - 16, 28, 47
		2004 - 14, 20, 24, 28
		2005 - 4, 12, 25, 36
HK1502	2003年2月	2003 - 16, 22, 23, 27, 29, 42, 46, 48, 49, 54, 55, 59, 61, 62, 68, 70, 72, 75, 77, 80
		2004 - 1, 3, 16, 19, 26, 30, 44
		2005 - 1, 2, 3, 15, 19, 22, 23, 25, 26, 27, 28, 33
HK1503	2005年10月	-
HK1504	2003年12月	2004 - 4, 5, 6, 27, 35, 38
		2005 - 8, 9, 13, 17, 18, 34
HK2501	2005年11月	-
HK2502	2002年10月	2003 - 1, 9, 31, 32, 36
		2004 - 7, 11, 28, 33, 45
		2005 - 20, 30, 35, 36
HK3001	2003年4月	2003 - 39, 45, 67, 79
		2004 - 31, 36
		2005 - 5
HK3002	2002年8月	2002 - 63, 66, 75
		2003 - 6, 11, 15, 16, 28, 48, 57, 59, 68, 70, 72, 74, 76, 77, 80
		2004 - 1, 2, 9, 14, 16, 20, 21, 24, 32, 46
		2005 - 2, 4, 6, 12, 16, 21, 23, 24, 26, 28, 35, 36, 38, 41

第 IV 節

航行警告重印(航行警告電傳)

在 2005 年 12 月 23 日仍然有效的航行警告如下:

LA03/2005 南海 10° 00' N 以北的鑽井平台及支援船位置一覽表:

鑽井平台	惠州 19-2	21° 21.97' N	115° 04.98' E
鑽井平台	惠州 19-3	21° 21.16' N	115° 01.02' E
鑽井平台	惠州 21-1	21° 20.95' N	115° 25.37' E
鑽井平台	惠州 26-1	21° 10.55' N	115° 15.88' E
鑽井平台	惠州 32-2	21° 09.68' N	115° 10.18' E
鑽井平台	惠州 32-3	21° 09.88' N	115° 13.08' E
鑽井平台	陸丰 13-1	21° 35.27' N	116° 09.42' E
鑽井平台	南海挑戰 (流花 11-1)	20° 50.58' N	115° 41.00' E
鑽井平台	南海四號	20° 50.20' N	108° 54.00' E
鑽井平台	勘探三號	19° 45.42' N	112° 37.14' E
鑽井平台	番禺 4-2	20° 50.84' N	114° 37.09' E
鑽井平台	番禺 5-1	20° 51.34' N	114° 47.93' E
鑽井平台	西江 24-3	21° 22.75' N	114° 54.70' E
鑽井平台	西江 30-2	21° 16.30' N	114° 58.53' E
鑽井平台	文昌 13-1	19° 36.67' N	112° 02.66' E
鑽井平台	文昌 13-2	19° 36.67' N	112° 02.66' E
貯油船	奮進	19° 36.67' N	112° 02.66' E
貯油船	海洋 111	20° 51.09' N	114° 42.51' E
貯油船	南海發現	21° 21.67' N	115° 24.63' E
貯油船	南海開拓	21° 18.42' N	114° 56.30' E
貯油船	南海盛開	21° 36.05' N	116° 08.90' E
貯油船	南海勝利	20° 49.40' N	115° 42.01' E
貯油船	睦寧	21° 28.70' N	116° 38.49' E

所有船舶務請遠離這些鑽井平台及支援船。